




Lockable Notice Board XSC

LOCKABLE NOTICE BOARDS > INDOOR CORK



Lockable Notice Board XS Cork

Economy notice board for indoor use. Perfect to display statutory information. Manufactured with a natural cork back wall for use with pins. Silver anodised aluminium frame with grey plastic safety corners.


Schaukasten XS mit Kork

Ultraflacher Schaukasten zur Verwendung im Innenbereich. Ideal für aushangpflichtige Informationen. Rückwand mit Presskork. Dekorative Kunststoffecken in grau vermindern die Verletzungsgefahr.



Lockable Notice Board XSC

LOCKABLE NOTICE BOARDS > INDOOR CORK



ACCESSORIES ZUBEHÖR



(SETPINS)
PINS
HEFTZWECKEN



PRODUCT SHEET

Lockable Notice Board XSC

LOCKABLE NOTICE BOARDS > INDOOR CORK

ARTICLE CODE	EAN / GTIN	CAPACITY	LOCKS	VISIBLE SIZE	SIZE (A x B x C)	NET WEIGHT
ARTIKELNUMMER	EAN / GTIN	KAPAZITÄT	SCHLÖSSER	SICHTMAß	GRÖßE (A x B x C)	NETTO GEWICHT
SCXSC1xA4	8595578316148	1 x 1 A4	1	220 x 310 mm	271 x 350 x 26 mm	0,88 kg
SCXSC2xA4	8595578316155	1 x 2 A4	1	440 x 310 mm	491 x 350 x 26 mm	1,40 kg
SCXSC3xA4	8595578316162	1 x 3 A4	1	660 x 310 mm	711 x 350 x 26 mm	1,90 kg
SCXSC4xA4	8595578316179	2 x 2 A4	1	440 x 615 mm	491 x 655 x 26 mm	2,40 kg
SCXSC6xA4	8595578316186	2 x 3 A4	1	660 x 615 mm	711 x 655 x 26 mm	3,31 kg
SCXSC8xA4	8595578316193	2 x 4 A4	1	880 x 615 mm	931 x 655 x 26 mm	4,21 kg
SCXSC9xA4	8595578316209	3 x 3 A4	2	660 x 923 mm	711 x 963 x 26 mm	4,76 kg
SCXSC12xA4	8595578316216	3 x 4 A4	2	880 x 923 mm	931 x 963 x 26 mm	6,06 kg

ARTICLE CODE	PACKING SIZE	PACKING WEIGHT	PCS / PALLET	WEIGHT OF PALLET	VOLUMETRIC WEIGHT	BELT SIZE	SHIPPING
ARTIKELNUMMER	PACKUNGS- GRÖßE	PACKUNGS- GEWICHT	STÜCK / PALETTE	PALETTE- GEWICHT	VOLUMEN- GEWICHT	GÜRTEL	VERSANDART
SCXSC1xA4	348 x 428 x 78 mm	1,15 kg	150	193 kg	2,32 kg	1280 mm	UPS
SCXSC2xA4	568 x 428 x 78 mm	1,82 kg	80	166 kg	3,79 kg	1720 mm	UPS
SCXSC3xA4	792 x 432 x 82 mm	2,73 kg	60	184 kg	5,61 kg	2180 mm	UPS
SCXSC4xA4	572 x 737 x 82 mm	3,40 kg	50	190 kg	6,91 kg	2045 mm	UPS
SCXSC6xA4	792 x 737 x 82 mm	4,62 kg	34	178 kg	9,57 kg	2485 mm	UPS
SCXSC8xA4	1012 x 737 x 82 mm	5,73 kg	28	181 kg	12,23 kg	2925 mm	TOF
SCXSC9xA4	1047 x 792 x 82 mm	6,36 kg	24	173 kg	13,60 kg	3050 mm	TOF
SCXSC12xA4	1047 x 1012 x 82 mm	8,04 kg	18	165 kg	17,36 kg	3270 mm	TOF